


The print-out is not subject to the modification service.

Intended for internal and supplier use


EN

Ⓐ piston rod processing per STAB-Spec. 10028959, table 1




RELEASE
for supplier
company Zhang Shi
14.07.2015 Schilz A.
(date / signature)

pre-worked:



X 5:1



√ Rz 25 (√ Rz 100 Ra Ⓐ Rz Ⓐ) ↘ +0,2 ↙ -0,2

AIAG CQI-standards acc. to STAB-Spec. 10027692

Environmental protection acc. to STAB-Spec. 10005649

DE: X	EN: X	ES:	IT:	PR:	FR:	RO:
new	INITIAL RELEASE		run area		R1	
old	-		hardness		0,5x45°	
Field	-		F/4,5		E/2	
Date/Name	11.01.2008 Höfer		28.07.2010 Geisbüsch		13.07.2015 Hein	
Chg. No.	-		581802		624057	
Rev.	0		1		2	

CAD created document; handwritten changes not permitted	
Material:	1.1193 S45C JISG 4051
Edge tolerances acc. to DIN ISO 13715	
Surface finish	DIN ISO 1302
Replaces:	
STABILUS	

All dimensions are in mm	Identification of important characteristics
Scale: (Original DIN A3) 2:1	Dimensions without tolerances DIN ISO 2768 mK
We reserve all rights to this document, to any patents or patent registrations related hereto, and to the duplication, retransmission by third parties and misc. use. Any use of this document is not permitted without the written consent of STABILUS.	
PISTON ROD	

Drawn by	Date	Name
Checked	13.07.2015	Höfer Klinkner
Document No.: 10151065		
Material No.: 007009		

Ident. Doc.: L36