


The print-out is not subject to the modification service.

Intended for internal and supplier use


EN

Ⓐ piston rod processing per STAB-Spec. 10028959, table 1




**RELEASE**  
for supplier  
company Zhang Shi  
12.06.2015 Schilz A.  
(date / signature)

pre-worked:



X 5:1



√ Rz 25 (√ Rz 100 Ra Ⓐ Rz Ⓐ) | +0,2 | -0,2

AIAG CQI-standards acc. to STAB-Spec. 10027892

Environmental protection acc. to STAB-Spec. 10005649

Ident. Doc.: L55

DE: X	EN: X	ES:	IT:	PR:	FR:	RO:	CAD created document; handwritten changes not permitted
new	INITIAL RELEASE		R1				
old	-		0,5x45°				
Field	-		D-E/1-2				
Date/Name	12.05.2011 K.Marx		11.06.2015 Hein				
Chg. No.	588649		624058				
Rev.	0		1				

Material:	1.1193 S45C JISG 4051
Edge tolerances acc. to DIN ISO 13715	
Surface finish acc. to DIN EN ISO 1302	
Replaces:	
<b>STABILUS</b>	

All dimensions are in mm	Identification of important characteristics
Scale: (Original DIN A3) 2:1	Dimensions without tolerances DIN ISO 2768-mK
We reserve all rights to this document, to any patents or patent registrations related hereto, and to the duplication, retransmission by third parties and misc. use. Any use of this document is not permitted without the written consent of STABILUS.	
Document No.: 10151066	
Material No.: 377387	
<b>PISTON ROD</b>	

Date	Name
12.05.2011	K.Marx
Checked	11.06.2015 Klinkner