


The print-out is not subject to the modification service.

Intended for internal and supplier use

Ⓐ piston rod processing per STAB-Spec. 10028959, table 1



$\sqrt{Rz\ 25}$ ($\sqrt{Rz\ 100}$ $\sqrt{Ra\ \text{Ⓐ}}$ $\sqrt{Rz\ \text{Ⓐ}}$) $\sqrt{+0,2}$ $\sqrt{-0,2}$

DE: X	EN: X	ES: -	IT: -	PR: -	FR: -	RO: -
new	INITIAL RELEASE	-	-	-	-	-
old	-	-	-	-	-	-
Field	-	-	-	-	-	-
Date/Name	09.05.2016	Höfer	-	-	-	-
Chg. No.	637788	-	-	-	-	-
Rev.	0	-	-	-	-	-

AIAG CQI-standards acc. to STAB-Spec. 10027692		Material: 1.1193		Environmental protection acc. to STAB-Spec. 10005649	
CAD created document; handwritten changes not permitted		S45C JISG 4051		All dimensions are in mm	
Edge tolerances acc. to DIN ISO 13715		Surface finish DIN ISO 1302		Scale: (Original DIN A3) 2:1	
Replaces:		Replaces:		Identification of important characteristics	
RELEASE for supplier Zhang Shi company Dat. 09.05.2016 Schilz A. (date / signature)		Dimensions without tolerances DIN ISO 2768 mK We reserve all rights to this document, to any patents or patent registrations related hereto, and to the duplication, retransmission by third parties and aisc. use. Any use of this document is not permitted without the written consent of STABILUS.		Document No.: 10151837 Material No.: 094432	

STABILUS

PISTON ROD

10151837

094432

***** Druckdatum: 5/10/2016 / 2:54:11 PM ***** Ausdruck nicht masszetzen *****