


The print-out is not subject to the modification service.

Intended for internal and supplier use

EN



$\sqrt{Rz\ 25}$ ($\sqrt{Rz\ 100}$ $\sqrt{Ra\ (a)}$ $\sqrt{Rz\ (a)}$) $\swarrow +0,2$ $\searrow -0,2$

AIAG CQI-standards acc. to STAB-Spec. 10027692										Environmental protection acc. to STAB-Spec. 10005649									
DE: X	EN: X	ES:	IT:	PR:	FR:	RO:	CRD created document; handwritten changes not permitted			Material: 1.1193 S45C JISG 4051		All dimensions are in mm		Identification of important characteristics		Drawn by	Date	Name	
new	INITIAL RELEASE						RELEASE for supplier company <u>Zhang Shi</u> Dat. 16.05.2018 Schilz A. (date / signature)			Edge tolerances acc. to DIN ISO 13715		Scale: (Original DIN A3) 2:1		Dimensions without tolerances DIN ISO 2768-mK		Checked	16.05.2018	Höfer	
old	-									Surface finish DIN EN ISO 1302		Replaces:		We reserve all rights to this document, to any patents or patent registrations related hereto, and to the duplication, retransmission by third parties and misc. use. Any use of this document is not permitted without the written consent of STABILUS.		Document No.: 10154979		Milles	
Field	-																		
Date/Name	16.05.2018 Höfer																		
Chg. No.	668476																		
Rev.	0																		
										STABILUS					PISTON ROD				
															Material No.: 809768				

Ident. Doc.: L14