





The print-out is not subject to the modification service.

Intended for internal and supplier use

Ident. Doc.:  
Bereit.datum: 17/5/2022 - 14:35

| supp No. | material no.   |                              |                              | A              | E                              |
|----------|--|------------------------------|------------------------------|----------------|--------------------------------|
|          | processing and surface treatment acc. to STAB-Spec. 10006248 Tab. XVI optimized<br>version 1 | 10006248 Tab. X<br>version 1 | 10028959 Tab. I<br>version 2 | overall length | length without endfitting stud |
| 5        | 432621   | 432621                       | 432621                       | 267            | 258.5                          |
| 6        | 333455   | 333455                       | 333455                       | 342            | 333.5                          |
| 7        | 337518   | 337518                       | 337518                       | 318            | 309.5                          |
| 8        | 356399   | 356399                       | 356399                       | 372            | 363.5                          |
| 9        | 046178   | 046178                       | 046178                       | 363            | 354.5                          |
| 10       | 046656   | 046656                       | 046656                       | 414            | 405.5                          |
| 11       | 047134   | 047134                       | 047134                       | 327            | 318.5                          |
| 12       | 047612   | 047612                       | 047612                       | 387            | 378.5                          |
| 13       | 178345   | 178345                       | 178345                       | 285            | 276.5                          |
| 14       | 180257   | 180257                       | 180257                       | 278            | 269.5                          |
| 15       | 339192   | 339192                       | 339192                       | 279            | 270.5                          |
| 16       | 959397   | 959397                       | 959397                       | 393            | 384.5                          |
| 17       | 154207   | 154207                       | 154207                       | 300            | 291.5                          |
| 18       | 180019   | 180019                       | 180019                       | 213            | 204.5                          |
| 19       | 514858   | 514858                       | 514858                       | 270            | 261.5                          |
| 20       | 645352   | 645352                       | 645352                       | 273            | 264.5                          |
| 21       | 835357   | 835357                       | 835357                       | 324            | 315.5                          |
| 22       | 862603   | 862603                       | 862603                       | 122            | 113.5                          |



|  |   |     |     |   |     |       |  |                                       |  |   |          |          |
|--|---|-----|-----|---|-----|-------|--|---------------------------------------|--|---|----------|----------|
| AIAG CQI-standards acc. to STAB-Spec. 10027692 |   |     |     | Environmental protection acc. to STAB-Spec. 10005649            |     |       |  |                                       |  |   |          |          |
| DE: X  | EN: X   | ES: | IT: | PR:   | FR: | RO: X | CAD created document handwritten changes not permitted | Material: *                           | All dimensions are in mm   | Marking of special characteristics according to STAB-Spec. 10270932 | Date     | Name     |
| new  | Tab XVI no technical change, no new first sample required |     |     | ZS CN / ZS RO no technical change, no new first sample required |     |       |  |                                       | Scale: (Original DIN A3) 2:1   | Dimensions without tolerances DIN ISO 2768-mK                       | Drawn by | Hein     |
| old  | Tab IV  |     |     | -   |     |       |  | Edge tolerances acc. to DIN ISO 13715 |  |   | Checked  | Klinkner |
| Field  | F 8   |     |     | B/5   |     |       |  | Surface finish DIN EN ISO 1302        | We reserve all rights to this document, to any patents or patent registrations related hereto, and to the duplication, retransmission by third parties and misc. use. Any use of this document is not permitted without the written consent of STABILUS. |   |          |          |
| Date/Name                                      | 06.10.2021 Donat  |     |     | 10.03.2022 Hein   |     |       |  | Replaces:                             | Document No.: 10160332   |   |          |          |
| Chg. No.                                       | 701804  |     |     | 707979  |     |       |  |                                       | Material No.:  |   |          |          |
| Rev.   | 6   |     |     | 6   |     |       |  | <b>STABILUS</b>                       | <b>PISTON ROD</b>  |   |          |          |