






The print-out is not subject to the modification service.

Intended for internal and supplier use

EN

Ident. Doc.:

supp No.	material no.			A	E	F
	10006248 Tab. IV (a) version 1	10006248 Tab. X (a) version 1	10028959 Tab. I (b) version 2			
1		606615	606615	235	226.5	132
2		557393	557393	228	219.5	129
3		460361	460361	377	368.5	214
4		594206	594206	295	286.5	173
X	XXXXXX	XXXXXXX	294 285.5 164			



AIAG CQI-standards acc. to STAB-Spec. 10027692				Environmental protection acc. to STAB-Spec. 10005649			
DE: X	EN: X	ES:	IT:	PR:	FR:	RO: X	CAD created document; handwritten changes not permitted
new	position of angle 5° corrected; 8,5 ±0,1	⊙ = acc. STAB-Spec. 10258370	2019/0882	new format Internal/Supplier	Material: *	All dimensions are in mm	Marking of special characteristics according to STAB-Spec. 10270932
old	wrong position of angle 5°; (8,5)	⊙ = RHT 0,4 0,7 mm	2018/xxxx	Supplier drawing separately	Edge tolerances acc. to DIN ISO 13715	Scale: (Original DIN A3) 2:1	Dimensions without tolerances DIN ISO 2768-mK
Field	B-C/1-3; D/4	B8	B6	-	Surface finish DIN EN ISO 1302	We reserve all rights to this document, to any patents or patent registrations related hereto, and to the duplication, retransmission by third parties and misc. use. Any use of this document is not permitted without the written consent of STABILUS.	
Date/Name	15.03.2019 Hein	24.04.2019 Höfer	17.06.2020 Höfer	30.06.2020 Höfer	Replaces:	Document No.: 10249121	
Chg. No.	676120	678037	689162	689714	STABILUS	Material No.:	
Rev.	6	7	8	9	PISTON ROD		