


The print-out is not subject to the modification service.

Intended for internal and supplier use

Date: 28/07/2023 - 13:14


Ident. Doc.:

supp. No.	material no.	A
	Surface treatment STAB-Spec. 10028959 Tab.I	overall length
3	032894	108
4	263881	138
5	266749	129
6	267466	150
7	267944	168
8	286108	267
9	287542	249
10	297580	210
11	306662	189
12	318134	228
13	326021	300
14	341078	366
15	344663	175
16	374299	123
17	378601	148
18	380035	180
19	381230	237
20	384098	339
21	384576	165
22	393658	204
23	449107	132
24	535386	120
25	299016	87
26	406088	282
27	051174	183
28	253607	258
29	399875	243
30	973718	201
31	126942	147



external production * material: 1.1193 S45C JISG 4051

approved lengths: 50-600 mm



sheet 1
of 3

AIAG CQI-standards acc. to STAB-Spec. 10027692				Environmental protection acc. to STAB-Spec. 10005649				
DE: X	EN: X	ES:	IT:	PR:	FR:	RO: X		
CAD created document; handwritten changes not permitted				Material: *				
new	50-600 mm		revised	© = acc. STAB-Spec. 10258370		new format Internal/Supplier		
old	100-600 mm		-	© = RHT 0,4 0,7 mm		Supplier drawing separately		
Field	A5		-	C 5-6		-		
Date/Name	19.07.2018 Höfer		29.08.2018 Jablonski		15.05.2019 Donat		28.07.2020 Höfer	
Chg. No.	670346		671281		678703		690132	
Rev.	6		7		8		9	
				All dimensions are in mm		Marking of special characteristics according to STAB-Spec. 10270932		
				Scale: (Original DIN A3) 2:1		Dimensions without tolerances DIN ISO 2768 mK		
				Edge tolerances acc. to DIN ISO 13715		We reserve all rights to this document, to any patents or patent registrations related hereto, and to the duplication, retransmission by third parties and misc. use. Any use of this document is not permitted without the written consent of STABILUS.		
				Surface finish DIN EN ISO 1302		Document No.: 10154964		
				Replaces:		Material No.:		
				STABILUS		PISTON ROD		