




The print-out is not subject to the modification service.

Intended for internal and supplier use

Ident. Doc.: EFFE11.dwg: 21/02/2022 - 13:11

supp No.	material no.			A
	processing and surface treatment acc. to STAB-Spec.			
	10006248 Tab. XVI optimized (a) version 1	10006248 Tab. X (a) version 1	10028959 Tab. I (b) version 2	
21	376239	376239	376239	276.0
22	382931	382931	382931	248.0
23	467537	467537	467537	300.5
24	631491	631491	631491	192.0
25	650611	650611	650611	336.0

XXX XXXXXXXX XXXXXXXX XXXXXXXX 258



AIAG CQI-standards acc. to STAB-Spec. 10027692				Environmental protection acc. to STAB-Spec. 10005649			
DE: X	EN: X	ES:	IT:	PR:	FR:	RO: X	Material: *
CRD created document; handwritten changes not permitted				All dimensions are in mm			
new (5°); no technical change, no new first sample required				Marking of special characteristics according to STAB-Spec. 10270932			
old 5°				Scale: (Original DIN A3) 2:1			
Field B/6-7				Dimensions without tolerances DIN ISO 2768-mK			
Date/Name 08.04.2021 Hein				We reserve all rights to this document, to any patents or patent registrations related hereto, and to the duplication, retransmission by third parties and misc. use. Any use of this document is not permitted without the written consent of STABILUS.			
Chg. No. 697948				Document No.: 10236736			
Rev. 3				Material No.:			
				STABILUS			
				PISTON ROD			