




The print-out is not subject to the modification service.

CONFIDENTIAL! Intended for internal and supplier use

Ident. Doc.:
ERR011.dwg: 1/11/2023 - 12:59

supp No.	material no.			A
	10006248 Tab. XVI optimized (a) version 1	10006248 Tab. X (a) version 1	10028959 Tab. I (b) version 2	
21	376239	376239	376239	276.0
22	382931	382931	382931	248.0
23	467537	467537	467537	300.5
24	631491	631491	631491	192.0
25	650611	650611	650611	336.0
26	750518	750518	750518	324.0
27	772028	772028	772028	270.0
XX	XXXXXXXX	XXXXXXXX	XXXXXXXX	252



AIAG CQI-standards acc. to STAB-Spec. 10027692

Environmental protection acc. to STAB-Spec. 10005649

DE: X	EN: X	ES:	IT:	PR:	FR:	RO: X	CRD created document; handwritten changes not permitted	Material: *	All dimensions are in mm	Marking of special characteristics according to STAB-Spec. 10270932	Date: 05.12.2007 Name: Höfer	
new	Tab XVI; no technical change, no new first sample required						Ø7,7±0,05 pre-turned; Ø7,7±0,05 after knurling / Tol. changed		Scale: (Original DIN A3) 2:1	Dimensions without tolerances DIN ISO 2768-mK	Checked: 06.06.2023	Name: Klinkner
old	Tab IV;						-	Edge tolerances acc. to DIN ISO 13715	We reserve all rights to this document, to any patents or patent registrations related hereto, and to the duplication, retransmission by third parties and misc. use. Any use of this document is not permitted without the written consent of STABILUS.			Document No.: 10236736
Field	F 8			B-C/7-8; B-E/3			Surface finish DIN ISO 1302	<div style="display: flex; justify-content: space-around; font-size: 2em; font-weight: bold;"> STABILUS PISTON ROD </div>				Material No.:
Date/Name	16.08.2021 Donat			06.06.2023 Hein			Replaces:					
Chg. No.	699704			721972								
Rev.	3			4								

